

## NOTICE OF TREE REMOVAL HEARING June 9, 2021 – 2 p.m.

By San Francisco Public Utilities Commission (SFPUC)

**PUBLIC HEARING POSTING PERIOD (7 days)** From: 06/01/2021 Through: 06/09/2021

我們即將砍樹. 請電水利局: 415-554-3244

NOTIFICACIÓN DE LA REMOCIÓN DE ÁRBOLES POR PARTE DE LA COMISIÓN DE SERVICIOS PÚBLICOS DE SAN FRANCISCO Para informacion, llame al (415) 554-3244

SFPUC proposes to remove 11 trees for construction at Clarendon Ave. and Dellbrook Ave.

## The Public Hearing will be held June 9, 2021 – 2 p.m. (Virtual)

Watch the meeting live: https://bluejeans.com/997887426?src=ioin\_info

(US Call in numbers: Primary) 1(408)317-9253; 1-650-963-5767 (US San Mateo);

1-408-915-6290 (US San Jose): MEETING ID: 997 887 426.

Members of the public may submit written comments which will be brought to the attention of the Public Hearing Officer and become part of the official public record. They can be emailed to Jim Chien, JChien@sfwater.org; or mailed to Jim Chien, Public Relations Officer, SFPUC, 525 Golden Gate Ave... 12th Floor, San Francisco, CA 94102.

| SFPUC                  |             | Tree is dead or dying   | Mayor                     |
|------------------------|-------------|---|---------------------------|
| Reason(s) for Removal: |             | Tree is hazardous   | Sophie Maxwell            |
|                        |             | Sewer damage  | President                 |
|                        |             | Root pruning required to fix sidewalk will de-stabilize tree                    | Anson Moran               |
|                        | $\boxtimes$ | Other: Tree will prevent installation of a new SFPUC Emergency                  | Vice President            |
|                        |             | Firefighting Water System (EFWS) pipeline and valve.                            | Tim Paulson               |
| Replacement Tree:      |             | Yes: In-kind  | Commissioner              |
| •                      |             | No replacement trees  | Ed Harrington             |
|                        | $\boxtimes$ | Other: Replanting trees on site is not feasible because tree roots would likely | Commissioner              |
|                        |             | damage the Emergency Firefighting Water System (EFWS) pipeline and valve.       | Michael Carlin            |
|                        |             | Accordingly, SFPUC will pay the In-Lieu Fee to fund for City tree planting.     | Acting<br>General Manager |
|                        |             |   | General Manager           |



London N. Breed Mayor Maxwell